



A B I N F L A T A B L E S

mares

10 VSX

Lightweight fiberglass Console Tender



S P E C S

Overall Length	: 10'6" / 3.19m	Number of Chambers	: 3	Shaft Length Option 1	: 15" / 38.1cm
Overall Beam	: 5'7" / 1.72m	Person Capacity	: 4	Shaft Length Option 2	: 20" / 50.8cm
Inside Length	: 7'7" / 2.31m	Weight	: 262lb / 119kg	RDC Design Category	: C
Inside Beam	: 2'8" / 0.81m	Recommended HP	: 25hp / 18.7kw		
Tube Diameter	: 17" / 0.43m	Maximum HP	: 30hp / 22.4kw		

S T A N D A R D F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Sets of Double Orca (CSM) Fabric Handles on Tubes
- Raised Single Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console with Stainless Steel Hand Rail
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- LED Navigation Side Lights
- 360° LED White Light Navigation Pole
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Stainless Steel Gas Springs
- Luxury Look Panel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Automatic Bilge Pump 500 GPH
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 3 Layer Reinforced Seams

O P T I O N A L F E A T U R E S

- Stainless Steel Light Arch
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package



www.abinflatables.com