

oceanus

11VST

Fiberglass Console Tenders



S P E C S

| | | | | | |
|----------------|----------------|--------------------|-----------------|---------------------|-----------------|
| Overall Length | : 11' / 3.35m | Number of Chambers | : 3 | Shaft Length | : 20" / 50.8cm |
| Overall Beam | : 5'8" / 1.73m | Person Capacity | : 5 | Gas Built in Tank | : 10 Gal / 38 L |
| Inside Length | : 8'1" / 2.47m | Weight | : 370lb / 168kg | RDC Design Category | : C |
| Inside Beam | : 2'9" / 0.84m | Recommended HP | : 30hp / 22.4kw | | |
| Tube Diameter | : 17" / 0.43m | Maximum HP | : 40hp / 29.8kw | | |

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Orca (CSM) Fabric Handles on Tubes
- 2 Stainless Steel Bow Handles on Tubes
- Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Stainless Steel Grab Handles on Tubes
- Lateral Fold Down Stainless Steel Cleat
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Panel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 500 GPH
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package





A B I N F L A T A B L E S

oceanus

12VST

Fiberglass Console Tenders



S P E C S

| | | | | | |
|----------------|-----------------|--------------------|-----------------|-------------------------|-----------------|
| Overall Length | : 12' / 3.66m | Number of Chambers | : 3 | Shaft Length | : 20" / 50.8cm |
| Overall Beam | : 6'1" / 1.86m | Person Capacity | : 6 | Gas Built in Tank | : 10 Gal / 38 L |
| Inside Length | : 9'2" / 2.79m | Weight | : 405lb / 184kg | RDC Design Category : C | |
| Inside Beam | : 2'10" / 0.86m | Recommended HP | : 40hp / 29.8kw | | |
| Tube Diameter | : 18" / 0.46m | Maximum HP | : 50hp / 37.3kw | | |

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 1 Front & 2 Side Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Orca (CSM) Fabric Handles on Tubes
- 2 Stainless Steel Bow Handles on Tubes
- Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Stainless Steel Grab Handles on Tubes
- Lateral Fold Down Stainless Steel Cleat
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Panel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 500 GPH
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package



www.abinflatables.com



oceanus

13VST

Fiberglass Console Tenders



S P E C S

| | | | | | |
|----------------|----------------|--------------------|-----------------|---------------------|-----------------|
| Overall Length | : 13' / 3.96m | Number of Chambers | : 3 | Shaft Length | : 20" / 50.8cm |
| Overall Beam | : 6'4" / 1.93m | Person Capacity | : 7 | Gas Built in Tank | : 14 Gal / 53 L |
| Inside Length | : 9'9" / 2.97m | Weight | : 477lb / 217kg | RDC Design Category | : C |
| Inside Beam | : 3'1" / 0.94m | Recommended HP | : 40hp / 29.8kw | | |
| Tube Diameter | : 18" / 0.46m | Maximum HP | : 60hp / 44.8kw | | |

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Orca (CSM) Fabric Handles on Tubes
- 2 Inside Bow Orca (CSM) Fabric Handles on Tubes
- 2 Stainless Steel Bow Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console with Forward Seat & Cushion
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Stainless Steel Grab Handles on Tubes
- Lateral Fold Down Stainless Steel Cleat
- 4 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Pannel
- 4 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 500 GPH
- Mechanical Steering System
- Stainless Steel Steering Wheel
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 3 Layer Reinforced Seams
- Stainless Steel Gas Springs

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package





A B I N F L A T A B L E S

oceanus

14VST

Fiberglass Console Tenders



| | | | |
|-----------|--------------------------------|--------------------------------|-----------------------------------|
| S P E C S | Overall Length : 14' / 4.27m | Number of Chambers : 5 | Shaft Length : 20" / 50.8cm |
| | Overall Beam : 6'5" / 1.96m | Person Capacity : 8 | Gas Built in Tank : 14 Gal / 53 L |
| | Inside Length : 10'10" / 3.30m | Weight : 510lb / 232kg | RDC Design Category : C |
| | Inside Beam : 3'1" / 0.94m | Recommended HP : 50hp / 37.3kw | |
| | Tube Diameter : 19" / 0.48m | Maximum HP : 70hp / 52.2kw | |

| | | | |
|------------------------------------|---|---|--|
| S T A N D A R D F E A T U R E S | <ul style="list-style-type: none"> Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck Integrated Marine Grade Aluminum Fuel Tank Plastic External Transom Plate Aluminum Internal Transom Plate Splash well, Draining 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes 1 Port Inside Transom Sets of 2 Orca (CSM) Fabric Handles on Tubes 2 Stainless Steel Bow Handles on Tubes Raised Double Rub Rail Push Push Plastic Non-Corrosive 2 Stage Inflation Valves Orca (CSM) Five Layer Coated Fabric Hand Pump Maintenance Kit | <ul style="list-style-type: none"> Owner's Manual Closed Cell Foam Upholstery Fiberglass Console with Forward Seat & Cushion Integrated Stern Seat with Storage 2 Deck Drain & Hull Drain with Plug Bow Locker/Seat Bow Hatch Cushion Console Front Access Lid Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights 360° LED White Light Navigation Pole Stainless Steel Grab Handles on Tubes Lateral Fold Down Stainless Steel Cleat 4 Stainless Steel Davit Lifting Points Stainless Steel Bow Eye Stainless Steel Tow Rings & Tie Downs Stainless Steel Console Grab Rail | <ul style="list-style-type: none"> Plexiglass Windshield Luxury Look Pannel 4 Waterproof Rocker Switches with Circuit Brakers Battery Box Battery Switch Fuel and Water Separator Filter Sending Unit Automatic Bilge Pump 500 GPH Mechanical Steering System Stainless Steel Steering Wheel Complete Tin Wiring & Heat Shrink Sealed Terminal 3 Layer Reinforced Seams Stainless Steel Gas Springs |
|------------------------------------|---|---|--|

| | | |
|------------------------------------|---|---|
| O P T I O N A L F E A T U R E S | <ul style="list-style-type: none"> Stainless Steel Light Arch Bimini Top with Stainless Steel Tubing Chock Set Boat Cover Console Cover Stainless Steel Ski Tow | <ul style="list-style-type: none"> Lifting Harness Teak Floor CD/Radio System Compass GPS VHF Package |
|------------------------------------|---|---|



www.abinflatables.com

oceanus

15VST

Fiberglass Console Tenders



| | | | |
|-----------|-------------------------------|--------------------------------|-----------------------------------|
| S P E C S | Overall Length : 15' / 4.57m | Number of Chambers : 5 | Shaft Length : 20" / 50.8cm |
| | Overall Beam : 6'6" / 1.99m | Person Capacity : 9 | Gas Built in Tank : 25 Gal / 95 L |
| | Inside Length : 11'6" / 3.50m | Weight : 605lb / 275kg | RDC Design Category : C |
| | Inside Beam : 3'2" / 0.97m | Recommended HP : 60hp / 44.8kw | |
| | Tube Diameter : 19" / 0.48m | Maximum HP : 75hp / 56.0kw | |

| | | | |
|------------------------------------|---|---|---|
| S T A N D A R D F E A T U R E S | <ul style="list-style-type: none"> Hand Laid Fiberglass Deep "V" Hull Stringer System Laminated into Hull Diamond Shape Non-skid Deck Integrated Marine Grade Aluminum Fuel Tank Plastic External Transom Plate Aluminum Internal Transom Plate Splash well, Draining 1 Front & 4 Side Orca (CSM) Fabric Handles on Tubes 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes 1 Port Inside Transom Sets of 2 Orca (CSM) Fabric Handles on Tubes 2 Stainless Steel Bow Handles on Tubes Raised Double Rub Rail Push Push Plastic Non-Corrosive 2 Stage Inflation Valves Orca (CSM) Five Layer Coated Fabric Hand Pump Maintenance Kit | <ul style="list-style-type: none"> Owner's Manual Closed Cell Foam Upholstery Fiberglass Console with Forward Seat & Cushion Integrated Stern Seat with Storage 2 Deck Drain & Hull Drain with Plug Bow Locker/Seat Bow Hatch Cushion Console Front Access Lid Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights 360° LED White Light Navigation Pole Stainless Steel Grab Handles on Tubes Lateral Fold Down Stainless Steel Cleat 4 Stainless Steel Davit Lifting Points Stainless Steel Bow Eye Stainless Steel Tow Rings & Tie Downs Stainless Steel Console Grab Rail | <ul style="list-style-type: none"> Plexiglass Windshield Luxury Look Pannel 4 Waterproof Rocker Switches with Circuit Brakers Battery Box Battery Switch Fuel and Water Separator Filter Sending Unit Automatic Bilge Pump 500 GPH Mechanical Steering System Stainless Steel Steering Wheel Complete Tin Wiring & Heat Shrink Sealed Terminals 3 Layer Reinforced Seams Stainless Steel Gas Springs |
|------------------------------------|---|---|---|

| | | |
|------------------------------------|---|---|
| O P T I O N A L F E A T U R E S | <ul style="list-style-type: none"> Stainless Steel Light Arch Transom Ladder Bimini Top with Stainless Steel Tubing Chock Set Boat Cover Console Cover Stainless Steel Ski Tow | <ul style="list-style-type: none"> Lifting Harness Teak Floor CD/Radio System Compass GPS VHF Package |
|------------------------------------|---|---|





A B I N F L A T A B L E S

oceanus

17VST

Fiberglass Console Tenders



S P E C S

| | | | | | |
|----------------|-----------------|--------------------|------------------|---------------------|------------------|
| Overall Length | : 17' / 5.18m | Number of Chambers | : 5 | Shaft Length | : 20" / 50.8cm |
| Overall Beam | : 8'1" / 2.46m | Person Capacity | : 12 | Gas Built in Tank | : 33 Gal / 125 L |
| Inside Length | : 13'1" / 3.99m | Weight | : 1104lb / 502kg | Water Built in Tank | : 10 Gal / 381L |
| Inside Beam | : 4'2" / 1.27m | Recommended HP | : 90hp / 67.1kw | RDC Design Category | : C |
| Tube Diameter | : 20" / 0.51m | Maximum HP | : 115hp / 85.8kw | | |

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Diamond Shape Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank With Pump and Shower
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 2 SS Drink Holders on console
- Height Adjustable Steering Helm
- Stern SS Grab Rails for Added Safety
- 4 Side (CSM) Fabric Handles on Tubes
- 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes
- 1 Port Inside Transom Set of 2 Orca (CSM) Fabric Handles on Tubes
- 2 Stainless Steel Bow Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console with Forward Seat & Cushion
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Stainless Steel Grab Handles on Tubes
- Lateral Fold Down Stainless Steel Cleat
- 3 Stainless Steel Davit Lifting Points
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Pannel
- 8 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Automatic Bilge Pump 500 GPH
- Hydraulic Steering System
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 4 Layer Reinforced Seams
- Battery Charger
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
- Transom Ladder
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Stainless Steel Ski Tow
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders



www.abinflatables.com

oceanus | **19VST** | **Fiberglass Console Tenders**



| | | | |
|------------------|--------------------------------|---------------------------------|-------------------------------------|
| S P E C S | Overall Length : 19' / 5.79m | Number of Chambers : 5 | Shaft Length : 25" / 63.5cm |
| | Overall Beam : 8'4" / 2.53m | Person Capacity : 15 | Gas Built in Tank : 44 Gal / 167 L |
| | Inside Length : 14'11" / 4.55m | Weight : 1252lb / 569kg | Water Built in Tank : 11 Gal / 42 L |
| | Inside Beam : 4'4" / 1.32m | Recommended HP : 115hp / 85.8kw | RDC Design Category : C |
| | Tube Diameter : 22" / 0.56m | Maximum HP : 150hp / 111.9kw | |

| | | | |
|--|--|---|--|
| S T A N D A R D F E A T U R E S | <ul style="list-style-type: none"> ■ Hand Laid Fiberglass Deep "V" Hull ■ Stringer System Laminated into Hull ■ Diamond Shape Non-skid Deck ■ Integrated Marine Grade Aluminum Fuel Tank ■ Marine Grade Aluminum Water Tank With Pump and Shower ■ Plastic External Transom Plate ■ Aluminum Internal Transom Plate ■ Splash well, Draining ■ 2 Front & 6 Side Orca (CSM) Fabric Handles on Tubes ■ 2 Bow Inside Sets of 2 Orca (CSM) Fabric Handles on Tubes ■ 2 Inside Set of 2 Orca (CSM) Fabric Handles on Tubes ■ 2 Stainless Steel Bow Handles on Tubes ■ Raised Double Rub Rail ■ Push Push Plastic Non-Corrosive 2 Stage Inflation Valves ■ Orca (CSM) Five Layer Coated Fabric ■ Hand Pump ■ Maintenance Kit | <ul style="list-style-type: none"> ■ Owner's Manual ■ Closed Cell Foam Upholstery ■ Fiberglass Console with Forward Seat & Cushion ■ Leaning Bolster ■ Integrated Stern Seat with Storage ■ 2 Deck Drain & Hull Drain with Plug ■ Bow Locker/Seat ■ Bow Hatch Cushion ■ Console Front Access Lid ■ Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights ■ 360° LED White Light Navigation Pole ■ Stainless Steel Grab Handles on Tubes ■ Lateral Fold Down Stainless Steel Cleat ■ 4 Stainless Steel Davit Lifting Points ■ Stainless Steel Bow Eye ■ Stainless Steel Tow Rings & Tie Downs | <ul style="list-style-type: none"> ■ Stainless Steel Console Grab Rail ■ Plexiglass Windshield ■ Luxury Look Panel ■ 8 Waterproof Rocker Switches with Circuit Brakers ■ Battery Box ■ Battery Switch ■ Fuel and Water Separator Filter ■ Sending Unit ■ Automatic Bilge Pump 750 GPH ■ Hydraulic Steering System ■ Stainless Steel Steering Wheel with Knob ■ Complete Tin Wiring & Heat Shrink Sealed Terminals ■ 4 Layer Reinforced Seams ■ Battery Charger ■ Stainless Steel Gas Springs ■ LED Courtesy Lights |
|--|--|---|--|

| | | |
|--|--|--|
| O P T I O N A L F E A T U R E S | <ul style="list-style-type: none"> ■ Stainless Steel Light Arch ■ Aluminum T--Top ■ Transom Ladder ■ Bimini Top with Stainless Steel Tubing ■ Chock Set ■ Boat Cover ■ Console Cover ■ Stainless Steel Ski Tow | <ul style="list-style-type: none"> ■ Lifting Harness ■ Teak Floor ■ CD/Radio System ■ Compass ■ GPS ■ VHF Package ■ Rod Holders |
|--|--|--|





A B I N F L A T A B L E S

oceanus

24VST

Fiberglass Console Tenders



S P E C S

| | | | | | |
|----------------|-----------------|--------------------|-------------------|---------------------|------------------|
| Overall Length | : 24' / 7.31m | Number of Chambers | : 6 | Shaft Length | : 25" / 63.5cm |
| Overall Beam | : 9'3" / 2.82m | Person Capacity | : 20 | Gas Built in Tank | : 65 Gal / 246 L |
| Inside Length | : 19'3" / 5.87m | Weight | : 2213lb / 1006kg | Water Built in Tank | : 12 Gal / 45 L |
| Inside Beam | : 5'4" / 1.64m | Recommended HP | : 150hp / 111.9kw | RDC Design Category | : B |
| Tube Diameter | : 24" / 0.61m | Maximum HP | : 250hp / 186.5kw | | |

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank With Pump and Shower
- Plastic External Transom Plate
- Aluminum Internal Transom Plate
- Splash well, Draining
- 2 Front & 6 Side Orca (CSM) Fabric Handles on Tubes
- 2 Bow Inside Sets of 8 Orca (CSM) Fabric Handles on Tubes
- 2 Inside Transom Sets of 5 Orca(CMS) Fabric Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Heavy Duty Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console with Forward Seat & Cushion
- Leaning Bolster
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- Bow Locker/ Seat
- 2 Large Bow Locker/Seat Compartments with Drain
- 2 Side Bow Locker Compartments with Drain
- 2 Stern Lockers
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Lateral Fold Down Stainless Steel Cleat
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Panel
- 8 Waterproof Rocker Switches with Circuit Breakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- Automatic Bilge Pump 750 GPH
- Hydraulic Steering System
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 4 Layer Reinforced Seams
- Bow Hatch Cushion
- Battery Charger
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L
F E A T U R E S

- Stainless Steel Light Arch
- Aluminum T-Top
- Transom Ladder
- Bimini Top with Stainless Steel Tubing
- Chock Set
- Boat Cover
- Console Cover
- Stainless Steel Ski Tow
- Lifting Harness
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders



www.abinflatables.com

oceanus

28VST

Fiberglass Console Tenders



S P E C S

| | | | | | |
|----------------|-------------------|--------------------|-------------------|---------------------|-------------------|
| Overall Length | : 27' 4" / 8.33m | Number of Chambers | : 6 | Shaft Length | : 30" / 76.2cm |
| Overall Beam | : 10' 1" / 3.07m | Person Capacity | : 25 | Gas Built in Tank | : 189 Gal / 715 L |
| Inside Length | : 22' 11" / 6.99m | Weight | : 2853lb / 1297kg | Water Built in Tank | : 12 Gal / 45 L |
| Inside Beam | : 6' 4" / 1.93m | Recommended HP | : 250hp / 186.5kw | RDC Design Category | : B |
| Tube Diameter | : 24" / 0.61m | Maximum HP | : 450hp / 335.7kw | | |

S T A N D A R D
F E A T U R E S

- Hand Laid Fiberglass Deep "V" Hull
- Stringer System Laminated into Hull
- Non-skid Deck
- Integrated Marine Grade Aluminum Fuel Tank
- Marine Grade Aluminum Water Tank With Pump and Shower
- Aluminum Engine Bracket
- 2 Front Orca (CSM) Fabric Handles on Tubes
- 2 Bow Inside Sets of 10 Orca (CSM) Fabric Handles on Tubes
- 2 Inside Transom Sets of 8 Orca(CSM) Fabric Handles on Tubes
- Raised Double Rub Rail
- Push Push Plastic Non-Corrosive 2 Stage Inflation Valves
- Heavy Duty Orca (CSM) Five Layer Coated Fabric
- Hand Pump
- Maintenance Kit
- Owner's Manual
- Closed Cell Foam Upholstery
- Fiberglass Console with Forward Seat & Cushion
- Leaning Bolster
- Integrated Stern Seat with Storage
- 2 Deck Drain & Hull Drain with Plug
- 2 Deck Drain Scuppers & Hull Drain with Plug
- Bow Locker/Seat
- Bow Hatch Cushion
- Console Front Access Lid
- Bow Step with Fold Down Stainless Steel Cleat & LED Running Lights
- 360° LED White Light Navigation Pole
- Lateral Fold Down Stainless Steel Cleat
- Stainless Steel Bow Eye
- Stainless Steel Tow Rings & Tie Downs
- Stainless Steel Console Grab Rail
- Plexiglass Windshield
- Luxury Look Pannel
- 8 Waterproof Rocker Switches with Circuit Brakers
- Battery Box
- Battery Switch
- Fuel and Water Separator Filter
- Sending Unit
- 2 Automatic Bilge Pump 750 GPH
- Hydraulic Steering System
- Stainless Steel Steering Wheel with Knob
- Complete Tin Wiring & Heat Shrink Sealed Terminals
- 4 Layer Reinforced Seams
- Battery Charger
- Stainless Steel Gas Springs
- LED Courtesy Lights

O P T I O N A L
F E A T U R E S

- Aluminum T-Top
- Transom Ladder
- Chock Set
- Boat Cover
- Console Cover
- Stainless Steel Ski Tow
- Teak Floor
- CD/Radio System
- Compass
- GPS
- VHF Package
- Rod Holders

